



PRODUCT RANGE CATALOG - 2026



PROFILE

MRL Tyres Ltd. belongs to the Malhotra Group of Industries founded by Late Shri C.L Malhotra in 1954 which today indulge in manufacturing of Tyres & Tubes besides other businesses like Tyre, Rubber & Retreading Business, Real Estate & Financing.

Today, MRL Tyres Ltd., is recognized around the world for their quality and endurance at competitive prices and are already a popular brand choice across **125 Countries** through its three brands – Malhotra, Indus and MRL.

Since it's re-inception and acquisition by **Mr. Gopal Malhotra (Chairman and Managing Director)** in mid-2008, MRL Tyres have diversified and enhanced business to include an exhaustive range of tyres with **2500 SKU's in line** and today is an Approved Supplier to **Major Original Equipment Manufacturers (OEM's)**, in INDIA, Europe, Africa, USA, Australia and South America

MRL Tyres is also a proud receiver of **"Capexil EXPORT AWARD"** for EIGHT consecutive years awarded by Export Council, Ministry of Commerce, India. With THREE state-of-art manufacturing facilities in Uttar Pradesh; the plants are fully equipped with most modern machinery, ranging from Automatic Compound Mixing to the World Class Curing Systems, to Fast and Efficient Tyre Building Machines, all capable of producing tyres as per Highest International Quality Standards.

TEAM

At MRL, we are a team of Young, Dedicated & Motivated professionals who are passionate and committed to achieve better results by understanding and meeting customer's requirements. MRL team embodies the corporate values and share the passion for their work. All these elements together have made MRL a strong, future-oriented organization with extraordinary growth perspectives in its field of business.

WHAT QUALITY MEANS TO MRL

MRL Brand: We combine this requirement with our pledge of quality to our customers and that is why right quality is achieved through stringent quality control measures carried out at every stage of activity from incoming Raw Materials to Finishing and Dispatch of Products. Besides In-House Testing, MRL Tyres regularly conducts tests under international regulations outside India as well, which reinforces the confidence R&D puts in each product.

VISION

"Thriving together to be a Leading Global Tyre Brand with Excellence"

MISSION:

- **Brand** – No. 1 tyre brand in India and amongst leading tyre brands globally
- **Customers** – Be a Customer Obsessed Company – Customer First 24x7
- **Stakeholders** – Most profitable tyre company in India – deliver enhanced value to all stakeholders
- **Technology** – Lead with premium products through technological edge & Operate Effectively
- **Social Responsibility** – Be a socially responsible corporate Entity
- **Employee Engagement** – Be a continuous learning & innovative organisation with a motivated team

CORE VALUES

- Q** – Quality: Meeting customer expectations
- U** – Unity: One Team One Goal
- E** – Enthusiasm: Passion to Excel
- S** – Service: Customer First Always
- T** – Trust: Integrity & Respect

USP

Our USP lies in Low-cost manufacturing with

- International Quality Standards
- Using the latest technologies
- On time delivery

At MRL, we simply have one motto – To help our Customers stay ahead.

Certificate

Standard **ISO 45001:2018**
Certificate Registr. No. **01 213 2136501**

Certificate Holder: **MRL Tyres Limited**
A 1/2, 10,11,12 Site B,
Surajpur Industrial Area Gautam Budh Nagar,
Dist. Gautam Budh Nagar, UP, Noida 201308,
India.

Scope: Manufacture, Export and Domestic Sale of Pneumatic Automotive Tyres, Flaps, Pre-cured Treads, Rubberized Cord Fabrics, Hot Rubber, Cushions and Solutions.

Proof has been furnished by means of an audit that the requirements of ISO 45001:2018 are met.

Validity: The certificate is valid from 2024-07-23 until 2027-06-01. First certification 2021

2024-09-01


TÜV Rheinland Cert GmbH
Am Grauen Stein 51105 Köln

www.tuv.com



ISO 45001: 2018

For Occupational Health & Safety Performance.

Certificate

Standard **ISO 14001:2015**
Certificate Registr. No. **01 104 2136501**

Certificate Holder: **MRL Tyres Limited**
A 1/2, 10,11,12 Site B,
Surajpur Industrial Area Gautam Budh Nagar,
Dist. Gautam Budh Nagar, UP, Noida 201308,
India.

Scope: Manufacture, Export and Domestic Sale of Pneumatic Automotive Tyres, Flaps, Pre-cured Treads, Rubberized Cord Fabrics, Hot Rubber, Cushions and Solutions.

Proof has been furnished by means of an audit that the requirements of ISO 14001:2015 are met.

Validity: The certificate is valid from 2024-07-23 until 2027-06-01. First certification 2021

2024-08-01


TÜV Rheinland Cert GmbH
Am Grauen Stein 51105 Köln

www.tuv.com



ISO 14001: 2015

For Effective Environmental Management System

Certificate

Standard **IATF 16949:2016**
(revision: 2016-10-01)
Certificate Registr. No. **01 111 2236327**
IATF Certificate No. **0579316**

Certificate Holder: **MRL Tyres Limited**
A - 1/2, Plot No. 10, 11, 12 Site - B,
Surajpur Industrial Area, Gautam Buddha Nagar,
Greater Noida - 201308, Uttar Pradesh,
India

IATF USE: GSKKCF

With remote location(s) according to annex

Scope: Design and Manufacture of Tyres

Proof has been furnished by means of an audit based on IATF Rules 0th that the requirements of IATF 16949:2016 are met.

Validity: The certificate is valid from 2025-07-28 until 2028-07-27.

Release date: 2025-07-28



2-IAO-QMC 01003


TÜV Rheinland Cert GmbH
Am Grauen Stein 51105 Köln
Germany - NRW

www.tuv.com



IATF 16949:2016

Quality Management Systems

Annex to certificate

Standard **IATF 16949:2016**
(1st edition: 2016-10-01)
Certificate Registr. No. **01 111 2236327**
IATF Certificate No. **0579316**

Remote Location: **MRL Tyres Limited**
Plot No. B - 13/14, Site - C,
Surajpur Industrial Area, Gautam Buddha Nagar,
Greater Noida, Dist - 201308, Uttar Pradesh,
India
34M2C9
Rem. Loc. Function: Warehousing
Certificate-Registr-No.: 01 111 2236327/02

Remote Location: **MRL Tyres Limited**
207, 2nd Floor, and 3rd Floor,
Udyog Vihar Phase 1, Sector 20,
Gurgaon - 122001, Haryana,
India
QAW3901
IATF USE: Marketing, Product design, Purchasing, Sales, Supplier
management
Rem. Loc. Function: management
Certificate-Registr-No.: 01 111 2236327/03

Release date: 2025-07-28



2-IAO-QMC 01003


TÜV Rheinland Cert GmbH
Am Grauen Stein 51105 Köln
Germany - NRW

www.tuv.com



IATF 16949:2016

Quality Management Systems



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Ghaziabad Branch Office

Address: Satyam Complex, 116 GT Road
Ghaziabad
201001
Phones: 0120-2861996, 2861498
Fax: 0120-2862195
E-mail: gzo@bis.org.in
Web: http://www.bis.org.in

ATTACHMENT TO LICENCE NO. CML- 3205942

CML NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
3205942	Malhotra Rubbers Ltd A-1/2, 10 & 11, Site-B, Surajpur Industrial Area, Greater Noida, Gautam Buddha Nagar Uttar Pradesh 201308	Automotive vehicles - pneumatic tyres for passenger car vehicles - diagonal and radial ply -	IS 15633 : 2005

ENDORSEMENT NO. 6 Dated 09.06.2016

Renewed for a further period of one year from First June Two Thousand and Sixteen to Thirty First May Two Thousand and Seventeen.

Other terms and conditions of Licence remain the same.

IV V SINGH
SCIENTIST B

BIS

Product's Quality, Reliability and Safety



भारत सरकार
GOVERNMENT OF INDIA
वाणिज्य एवं उद्योग मंत्रालय
MINISTRY OF COMMERCE & INDUSTRY
विदेश व्यापार महानिदेशालय
DIRECTORATE GENERAL OF FOREIGN TRADE

मान्यता प्रमाण पत्र
Certificate of Recognition
दो सितारा निर्यात सदन
TWO STAR EXPORT HOUSE 050216000370

मैसर्स M/s. TYRES LIMITED
70/50A, 1ST FLOOR, RAMA ROAD, INDUSTRIAL AREA MOTI
NAGAR NAJAFGARH ROAD NEW DELHI-110015
(आई ई सी 0592031861 और आयकर पैन AAACM0923H)
को विदेश व्यापार नीति, 2015-2020 के प्रावधानों के अनुसार दो सितारा निर्यात सदन का स्तर प्रदान किया जाता है। यह प्रमाण पत्र, प्रक्रिया पुस्तक (2015-2020) के पैरा 3.20 (बी) में दी गयी शर्तों के निहित एवं की अवधि के लिए दिनांक 21.12.2016 से 20.12.2021 तक वैध होगा।
M/s. TYRES LIMITED
70/50A, 1ST FLOOR, RAMA ROAD, INDUSTRIAL AREA MOTI
NAGAR NAJAFGARH ROAD NEW DELHI-110015
(IEC and Income Tax PAN)
are hereby accorded the status of Two Star Export House in accordance with the provisions of the Foreign Trade Policy, 2015-2020. This Certificate is valid for a period of 5 years effective from 21.12.2016 to 20.12.2021 subject to the conditions prescribed in Para 3.20(b) of the Handbook of Procedures (2015-2020).

सं./No. B/ 3229

दिनांक/Date 22.12.2016

स्थान/Place New Delhi

अवर/संयुक्त/उप-महानिदेशक,
विदेश व्यापार/विकास आयुक्त (एस.ई.एस.)
Additional Joint/ Deputy
Director General of Foreign Trade/
Development Commissioner (SEZ)

STAR HOUSE

For Excellence in International Trade



Certificado N°: / Certificado N° C1 46482503

CERTIFICADO CONFORMIDAD PRODUCCIÓN
CONFORMITY PRODUCTION CERTIFICATE

El presente certificado acredita que: / The following certificate ensures that:

MRL TYRES LIMITED
A-1/2- 10, 11, 12, Site-B, Indl. Area
Surajpur, Gautam Buddha Nagar
201308, Greater Noida, UTTAR PRADESH (INDIA)

dispone de un sistema de gestión de calidad y de los procedimientos y planes de conformidad de la producción adecuados para garantizar el cumplimiento con los requisitos del.
has a quality management system and the conformity of production procedures and plans in compliance with the requirements of:

- ANEXO 1 del acuerdo E/CEC/TRANS/505/Rev.3
Schedule 1 of the Agreement E/CEC/TRANS/505/Rev.3

Alcance: / scope: Ver Anexo 1 / see Annex 1

El certificado se emite como consecuencia del expediente 46482503, correspondiente a la auditoría realizada el 16 de julio de 2015, válido para los números de homologación concedidos por la Autoridad de Homologación Española.
The certificate is issued as a result of the 46482503 file, relevant to the audit carried out on the 16 of July of 2015, valid for the approval numbers granted by the Spanish Approval Authority.

Fecha 1ª emisión: / 1st issue date: 27.08.2018 / 2018.08.27
Válida hasta: / valid until: 27.08.2021 / 2021.08.27

UCA
CERTIFICADO
unidad de certificación del automóvil
D. José Mª Martínez-Vel Peñalosa
Director Pq

El presente certificado puede ser consultado en la página web de la Unidad de Certificación del Automóvil (UCA) ubicada en el Centro Europeo de Verificación.
This certificate can be consulted on the website of the National Council for Automotive Certification (UCA) located in the European Verification Center.
#BACR454V4T5M
FUNDACIÓN PARA EL FOMENTO DE LA INNOVACIÓN INDUSTRIAL
C/ José Gálvez N° 2, 28009, Madrid - CP: 28009-40221

CONFORMITY OF PRODUCTION
Evidencing the Ability to Match The Specification,
Performance



Industry Services

Prüfbericht - Nr.: Test Report No.:	IND/BLR/CH/2012/1342				
Auftraggeber: Client:	Malhotra Rubbers Limited A 1/2 - 10 & 11, Site-B, Surajpur Indl Area, UPSIDC Greater Noida GAUTAM BUDH NAGAR (DISTRICT) Pin: 201308 (UP)				
Gegenstand der Prüfung: Test item:	Tyre Sample				
Bezeichnung: Identification:	Agriculture and Industrial Tyres				
Anlieferungszustand: Delivery Condition:	Einwandfrei, prüfgegenstand Getester wie angeliefert Apparent good, Samples Tested as received		Eingangsdatum: Date of receipt: 20.03.2012 Order No: 143018738		
Prüfart: Testing location:	TÜV Rheinland (India) Pvt Ltd.				
Prüfgrundlage: Test specification:	Customer requirement : Determination of Aromaticity (' bay Hydrogen) in Vulcanized Rubber Material as per Directive 2005/69/EC				
Prüfresultat: Test Result:	Please refer Annexure enclosed,				
Prüflaboratorium/ Testing Laboratory: TÜV Rheinland Hong Kong Ltd			zusammengestellt/ compiled by:		
18.04.2012 Manager - Industry Services			18.04.2012 Shannuga Sundaram P Country Head Material Testing Laboratory - Industry Services		
					
Datum Date	Name Name	Unterschrift Signature	Datum Date	Name Name	Unterschrift Signature
Sonstiges/ Other Aspects: -					
Abkürzungen: ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar			Abbreviations: ok / P = passed fail / F = failed n.a. / N = not applicable		

REACH
For Environment and protect human health.
Phase-II, Begur Hobli, Bangalore - 560 100

Certificate No.: 001-02317-Q

Certificate of Approval

This is to certify that the Quality Management System
at
MRL TYRES LIMITED
(Formerly known as Malhotra Rubbers Limited)
A 1/2, Plot No.10-11 & 12, Site B, Surajpur Industrial Area,
G.B.Nagar, Greater Noida - 201 308, Uttar Pradesh, India.

has been examined by Assessors of QMS International Certifications Pvt. Ltd.
and found to be conforming to the requirements of
ISO 9001:2015
In respect of the following activities:
**Design and Manufacture, Export and Supply of Pneumatic
Automotive Tyres, Flaps, Pre Cured Treads, Rubberised
Cord Fabrics, Hot Rubber, Cushions & Solutions**

Current Issue Date 09/09/2024, Valid till 13/09/2027*
Original Certification 05/09/2003


Sanjay Kumar Kaushik
Managing Director

*Subject to compliance with requirements specified in Service Specification & Agreement
*To check the validity of this certificate please visit www.qms-intl.org/register

ISO 9001:2015
Quality Management Systems

WJ24K3

**Standards Organisation of Nigeria Conformity Assessment Programme
Product Certificate (Licensed)**

This document is not and does not substitute in any respect
the SONCAP Certificate required for Customs Declaration

PC(L) No.: L-1611/04182/1
Issuance Date: 23.12.2016
Expiry Date of Certificate: 20.12.2017
Page: 1 / 2 Version: 1

Beneficiary: MRL TYRES LIMITED
(FORMERLY KNOWN AS MALHOTRA RUBBERS
LIMITED)
79/5A-A, FIRST FLOOR, RAMA ROAD
INDUSTRIAL AREA MOTINAGAR
New Delhi - India
910149994399
info@mrityres.com
9122426557

Phone No.:
E-mail:
Fax No.:

Factory Audit Site:
N/A
Factory Audit Date:
12.12.2016

Importer's Details **TIN No:** **RCBN No:**

Item No.	HS Code	Product Description	Country of Origin	Standard Reference
1	4011	AGRICULTURAL TYRES - 8 INCH TO 48 INCH TYRE, BRAND - MRL	India	ISO 4251-2:2005
2	4011	COMMERCIAL TYRES - 14 INCH TO 20 INCH TYRES, BRAND - MRL	India	ISO 4209-1:2001
3	4011	INDUSTRIAL TYRES - 8 INCH TO 28 INCH TYRES, BRAND - MRL	India	ISO 10499-2:1998
4	4011	COMMERCIAL TYRES - 8 INCH - TWO AND THREE WHEELER TYRES, BRAND - MRL	India	IS 15627:2005

Remarks: SOL ISSUANCE ON THE BASIS OF:-
TEST REPORT, & FACTORY AUDIT REPORT.

SONCAP
Nigeria Quality Approval

 U.S. Department of Transportation
National Highway Traffic Safety Administration

NHTSA

JUN 2 2 2017

Monit Malhotra
Director
MRL Tyres, Ltd
A-1/2, Plot No. 10 - 12, Site-B
Surajpur Industrial Area, G.B. Nagar
Greater Noida, Uttar Pradesh, India 201308

Dear Monit Malhotra:

This letter is in response to your recent request for assignment of a new tire manufacturer's identification code for the MRL Tyres, Ltd plant located in Greater Noida, India. Since MRL Tyres, Ltd is planning to export tires to the United States, we want to bring to your attention certain Federal laws and regulations, including the Federal Motor Vehicle Safety Standards (FMVSS), administered by the National Highway Traffic Safety Administration (NHTSA) under the National Traffic and Motor Vehicle Safety Act, as amended (Safety Act) that have bearing upon the importation of these tires.

It is a violation of Federal law to manufacture a tire for sale in the United States after the effective date of an applicable FMVSS unless the tire complies in all respects with that FMVSS. In the event that the tire is manufactured in a foreign country, the importer of the tire in the United States is considered a manufacturer under the law, and has all of the duties and obligations of the fabricating manufacturer relating to compliance with FMVSS and, as discussed below, reporting and recalls.

The United States uses a self-certification system in which the tire manufacturer is required to certify that each tire it manufactures complies with the applicable FMVSS. The symbol DOT molded into or onto a tire by its manufacturer is legal certification that the tire complies with all applicable FMVSS. A foreign tire manufacturer is prohibited from introducing or delivering for introduction into interstate commerce in the United States its new tires unless the manufacturer (or importer of record) has certified that the tires comply with all applicable FMVSS.

The self-certification process used in the United States substantially differs from the processes used in many other countries. For instance, China and some countries in Europe require manufacturers to deliver regulated items to a governmental entity for testing; after successful testing, the government approves those regulated items for use and assigns an approval code. Under the United States self-certification process, the tire manufacturer, not any governmental entity, has full legal responsibility to assure that the tires comply with the applicable FMVSS and are properly certified.

It is the responsibility of the tire manufacturer to establish design specifications, manufacturing process specifications, quality assurance programs and engineering change verification programs to such a level that all new tires shipped to the United States meet or exceed the minimum performance requirements of all applicable FMVSS and are properly certified.

DOT
USA Quality Approval

SE., Washington, DC 20590


THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED ⁽¹⁾ APPROVAL EXTENDED ⁽⁴⁾
APPROVAL REFUSED ⁽²⁾ APPROVAL WITHDRAWN ⁽³⁾ PRODUCTION DEFINITELY
DISCONTINUED ⁽¹⁾ OF A TYPE OF PNEUMATIC TYRE FOR MOTOR VEHICLES PURSUANT
TO REGULATION NO. 106.

E11 Approval No: 106R-001929


Extension No: 00

- Manufacturer's name or trade mark (s) of the tyre: MALHOTRA, MRL, INDUS
- Tyre type designation by the manufacturer: FARM SUPER 85
- Manufacturer's name and address:
Malhotra Rubbers Ltd
A 1/2, Plot No. 10-11 & 12, Site B, Surajpur Industrial Area, G.B.Nagar,
Greater Noida - 201306, UP India
- If applicable, name and address of manufacturer's representative:
- Summarized description:
 - Size of tyre: 460/85R38
 - Category of use: Tractor- Drive Wheel - Standard tread
 - Structure: diagonal (bias-ply)/bias-belted/radial ⁽¹⁾
 - Speed category symbol: A8
 - Load-capacity index: 149
 - for traction (implement only): Not Applicable
 - for trailer (implement only): Not Applicable
 - Whether the tyre is to be fitted with or without an inner tube: With / without
- The supplementary service description, if applicable: 149 B

E MARK
EU Quality Approval

Agency of the Department for Transport
June 2015 Revision 4

18-Apr-16



AGRICULTURAL RANGE

VF TRACTOR & HARVESTER TYRES


MVF 600
V FLEXO PLUS

TYRE SIZE

26"

VF 750/65R26

28"

VF 600/60R28

VF 600/65R28

VF 600/70R28

30"

VF 540/65R30

VF 600/60R30

VF 600/65R30

VF 600/70R30

32"

VF 900/60R32

34"

VF 600/60R34

VF 600/70R34

VF 650/60R34

VF 650/65R34

VF 710/55R34

VF 710/60R34

38"

VF 650/60R38NRO

VF 710/60R38

VF 800/70R38NRO

42"

VF 650/65R42

VF 710/60R42

VF 710/70R42CF0

VF 710/75R42

VF 800/70R42

VF 900/60R42

44"

VF 750/70R44

46"

VF 620/70R46

VF 750/75R46

VF 900/65R46



2WD Tractor



4WD Tractor


 Utility Tractor
MFWA


Combine Harvester

VF TRACTOR & HARVESTER TYRES


MVF 601
V FLEXO PLUS GOLD

TYRE SIZE

38"

VF 650/65R38NRO

46"

VF 750/60R46



2WD Tractor



4WD Tractor


 Utility Tractor
MFWA


Combine Harvester

VF FLOTATION RADIAL - STEEL BELTED TYRES


FLR 337
FLEX POWER

TYRE SIZE

22.5"

VF 560/60R22.5



2WD TRACTOR



4WD TRACTOR



BALER



WATER TANKER



TRAILER

VF FLOTATION RADIAL - STEEL BELTED TYRES



TYRE SIZE

17.5"

VF 400/45R17.5

FLR 333

X POWER



2WD TRACTOR



4WD TRACTOR



BALER



WATER TANKER



TRAILER

VF ROW CROP RADIAL - STEEL BELTED TYRES



TYRE SIZE

50"

VF 480/80R50

MVF 603

V FLEXO SPRAYER



2WD TRACTOR



4WD TRACTOR



UTILITY TRACTOR
MFWA



SPRAYER

VF ROW CROP RADIAL - STEEL BELTED TYRES



TYRE SIZE

50"

VF 380/90R50CFO

MVF 600

V FLEXO PLUS



2WD TRACTOR



4WD TRACTOR



UTILITY TRACTOR
MFWA



SPRAYER

FLOTATION RADIAL - STEEL BELTED TYRES



FLR 333

X POWER

TYRE SIZE

17"

500/50R17

22.5"

560/45R22.5

500/60R22.5

560/60R22.5

600/50R22.5

26.5"

600/55R26.5

650/55R26.5

710/50R26.5

30.5"

750/60R30.5

32"

800/60R32



2WD TRACTOR



4WD TRACTOR



BALER



WATER TANKER



TRAILER

FLOTATION RADIAL - STEEL BELTED TYRES



FLR 335

S POWER

TYRE SIZE

22.5"

500/60R22.5

560/45R22.5

560/60R22.5

580/65R22.5

600/50R22.5

600/55R22.5

620/40R22.5

710/45R22.5

26.5"

600/55R26.5

650/55R26.5

650/60R26.5

710/50R26.5

750/45R26.5

30.5"

650/65R30.5

710/50R30.5

750/60R30.5

32"

800/60R32



2WD TRACTOR



4WD TRACTOR



BALER



WATER TANKER



TRAILER

FLOTATION RADIAL - STEEL BELTED TYRES



FLR 334

FLOT POWER

TYRE SIZE

17"

500/50R17

22.5"

710/40R22.5



BALER



TRAILER

FLOTATION RADIAL TYRES


FLR 339
Z POWER

TYRE SIZE

22.5"

560/60R22.5

26.5"

600/55R26.5



Baler



Water Tanker



TRAILER

RADIAL R-1W HARVESTING - MEGA SOL TYRES


RRT 650
MEGA SOL

TYRE SIZE

26"

620/75R26

750/70R26

30"

620/75R30

32"

650/75R32

800/65R32



2WD TRACTOR



4WD TRACTOR



COMBINE HARVESTER



CHASER BINS



SLURRY TANKER

BIAS HARVESTER TYRES


MRT 334
HARVESTER KING

TYRE SIZE

32"

30.5L-32



2WD TRACTOR



4WD TRACTOR



COMBINE HARVESTER



CHASER BINS



SLURRY TANKER

TRACTOR RADIAL R-1W 55 SERIES TYRES



TYRE SIZE
30"
710/55R30

-  2WD TRACTOR
-  4WD TRACTOR
-  UTILITY TRACTOR
MFWA
-  COMBINE HARVESTER

RRT 500 **FARM XTREME 55**

TRACTOR RADIAL R-1W 65 SERIES TYRES



TYRE SIZE	
16"	320/65R16
18"	320/65R18
	340/65R18
20"	340/65R20
	420/65R20
	440/65R20
24"	420/65R24
	440/65R24
	480/65R24
	540/65R24
28"	420/65R28
	440/65R28
	480/65R28
	540/65R28
	600/65R28
	650/65R28
30"	540/65R30
	600/65R30
34"	540/65R34
	600/65R34
38"	540/65R38
	600/65R38
	650/65R38
42"	650/65R42

-  2WD TRACTOR
-  4WD TRACTOR
-  UTILITY TRACTOR
MFWA
-  COMBINE HARVESTER

RRT 500 **FARM XTREME 65**

TRACTOR RADIAL R-1W 70/75 SERIES TYRES


RRT 500
FARM XTREME 70/75

TYRE SIZE

16"

240/70R16
260/70R16
280/70R16

18"

280/70R18

20"

260/70R20
280/70R20
300/70R20
320/70R20
360/70R20
380/70R20

24"

320/70R24
360/70R24
380/70R24
420/70R24
480/70R24

26"

480/70R26

28"

320/70R28
360/70R28
380/70R28
420/70R28
480/70R28
600/70R28

30"

420/70R30
480/70R30
520/70R30
600/70R30

34"

480/70R34
520/70R34

38"

400/75R38
480/70R38
520/70R38
580/70R38
710/70R38

42"

580/70R42
620/70R42
710/70R42



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA


COMBINE HARVESTER

TRACTOR RADIAL R-1W 80/85 SERIES TYRES


RRT 500
FARM XTREME 80/85

TYRE SIZE

20"

250/85R20
280/85R20
320/85R20
340/80R20

24"

250/85R24
280/85R24
320/85R24
340/85R24
420/85R24

28"

250/85R28
280/85R28
320/85R28
340/85R28
380/85R28
420/85R28

30"

380/85R30
420/85R30
460/85R30

32"

320/85R32

34"

320/85R34
380/85R34
420/85R34
460/85R34

36"

320/85R36
340/85R36

38"

320/85R38
340/85R38
380/80R38
380/85R38
420/85R38
460/85R38
520/85R38
650/85R38

42"

480/80R42
520/85R42

46"

420/80R46
480/80R46
520/85R46



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA


COMBINE HARVESTER

TRACTOR RADIAL R-1W 70 SERIES TYRES


RRT 770
FARM MAXX 70

TYRE SIZE

16"	280/70R16	30"	420/70R30
18"	280/70R18	30"	480/70R30
20"	260/70R20	30"	600/70R30
20"	300/70R20	34"	480/70R34
20"	320/70R20	34"	520/70R34
24"	320/70R24	38"	480/70R38
24"	360/70R24	38"	520/70R38
24"	380/70R24	38"	580/70R38
24"	420/70R24	38"	710/70R38
24"	480/70R24	42"	620/70R42
28"	360/70R28	42"	710/70R42
28"	380/70R28		
28"	420/70R28		
28"	480/70R28		



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA


COMBINE HARVESTER



AGRICULTURAL LOADER

TRACTOR RADIAL R-1W 85 SERIES TYRES


RRT 885
FARM SUPER 85

TYRE SIZE

24"	280/85R24	36"	320/85R36
24"	320/85R24	36"	340/85R36
24"	340/85R24	38"	380/85R38
24"	380/85R24	38"	420/85R38
24"	420/85R24	38"	460/85R38
28"	280/85R28	38"	520/85R38
28"	320/85R28	42"	480/80R42
28"	340/85R28	42"	520/85R42
28"	380/85R28	46"	480/80R46
28"	420/85R28	46"	520/85R46
30"	380/85R30	50"	480/80R50
30"	420/85R30		
30"	460/85R30		
32"	320/85R32		
34"	380/85R34		
34"	420/85R34		
34"	460/85R34		



2WD TRACTOR



4WD TRACTOR


 UTILITY TRACTOR
MFWA


COMBINE HARVESTER



AGRICULTURAL LOADER

RADIAL ROW CROP 95 SERIES TYRES



RC 950

SPRAYER RC 950

TYRE SIZE

32"

210/95R32

230/95R32

270/95R32

36"

230/95R36

270/95R36

38"

270/95R38

42"

230/95R42

270/95R42

44"

230/95R44

270/95R44

46"

300/95R46

320/90R46

340/85R46

380/90R46

48"

230/95R48

270/95R48

340/85R48

50"

320/90R50

480/95R50

52"

300/95R52

54"

270/95R54

320/90R54



2WD TRACTOR



4WD TRACTOR



SPRAYER



WATER SPRINKLER

RADIAL AGRO INDUSTRIAL TYRES



GT 375

GRIP TRAC 375

TYRE SIZE

24"

460/70R24

500/70R24



TELEHANDLER



BACKHOE

RADIAL AGRO INDUSTRIAL TYRES



GT 333

MAXIMUS

TYRE SIZE

18"

340/80R18

24"

460/70R24

500/70R24

26"

480/80R26

28"

440/80R28



TELEHANDLER



BACKHOE

RADIAL AGRO INDUSTRIAL TYRES



TYRE SIZE

24"

540/70R24



TELEHANDLER



BACKHOE

GT 378

GRIP TRAC 378

MPT RADIAL - STEEL BELTED TYRES



TYRE SIZE

20"

405/70R20

24"

405/70R24



TELEHANDLER



BACKHOE

GT 335

S POWER

HEAVY DUTY FORESTRY TYRES- STEEL BELTED TYRES



TYRE SIZE

26"

18.4-26

28L-26

26.5"

750/55-26.5

32"

24.5-32

30.5L-32

35.5L-32



SKIDDER

MRT 300

LOG XTREME

AGRO - FORESTRY TYRES


MRT 329
KIRTI HD

TYRE SIZE

24"
11.2-24
12.4-24
13.6-24
14.9-24
26"
18.4-26
28"
12.4-28
13.6-28
14.9-28
16.9-28

30"
16.9-30
18.4-30
34"
16.9-34
18.4-34
38"
13.6-38
15.5-38
16.9-38
18.4-38
20.8-38



2WD TRACTOR



4WD TRACTOR



UTILITY TRACTOR

MFWA



COMBINE HARVESTER

DRIVE WHEEL (R-1) TRACTOR REAR TYRES


MRT 329
KIRTI

TYRE SIZE

20"
8.00-20
8.3-20
9.5-20
11.2-20
13.6-20
22"
8.3-22
9.5-22
24"
8.3-24
9.5-24
11.2-24
12.4-24
13.6-24
14.9-24
16.9-24
18.4-24

26"
14.9-26
16.9-26
18.4-26
23.1-26
28"
11.2-28
12.4-28
13.6-28
14.9-28
16.9-28
18.4-28
30"
14.9-30
16.9-30
18.4-30
23.1-30

32"
12.4-32
34"
16.9-34
18.4-34
20.8-34
36"
12.4-36
13.6-36
38"
12.4-38
13.6-38
14.00-38
15.5-38
16.9-38
18.4-38
20.8-38



2WD TRACTOR



4WD TRACTOR



UTILITY TRACTOR

MFWA



COMBINE HARVESTER



SPRAYER

DRIVE WHEEL (R-1) BIAS ROW CROP FARMING TYRES



MRT 329 KIRTI

TYRE SIZE	
19"	4.50-19
21"	4.00-21
30"	4.00-30
	9.50-30
32"	8.3-32
	9.5-32
36"	7.2-36
	8.3-36
	9.5-36
38"	8.3-38
	11.2-38



DRIVE WHEEL (R-1W) TRACTOR REAR TYRES



MRT 330 RUDRA

TYRE SIZE	
18"	8.00-18
28"	12.4-28
	13.6-28
	14.9-28
	16.9-28
30"	16.9-30
	18.4-30



DRIVE WHEEL (R-1W+) TRACTOR REAR TYRES



MRT 335 DABANG GOLD

TYRE SIZE	
28"	12.4-28
	13.6-28
	14.9-28
	16.9-28
30"	18.4-30



DRIVE WHEEL (R-1W+) TRACTOR REAR TYRES



MRT 336

DEEP TRACK

TYRE SIZE

18"	28"
8.00-18	13.6-28
20"	14.9-28
8.3-20	16.9-28
11.2-20	30"
24"	16.9-30
9.5-24	34"
12.4-24	16.9-34
26"	
13.6-26	



2WD TRACTOR



4WD TRACTOR



UTILITY TRACTOR
MFWA



COMBINE
HARVESTER

DRIVE WHEEL (R-1W+) SMALL TRACTOR TYRES



MRT 302 RT

M93 RT

TYRE SIZE

12"
5.00-12
6.00-12



2WD TRACTOR



UTILITY TRACTOR
MFWA

DRIVE WHEEL (R-2) TRACTOR REAR TYRES



MRT 333

CAMPEON

TYRE SIZE

24"
12.4-24
14.9-24
26"
23.1-26
28"
14.9-28
30"
18.4-30
23.1-30
34"
18.4-34
38"
18.4-38



2WD TRACTOR



4WD TRACTOR

IRRIGATION TYRES



MRT 331 IRRIGATOR

TYRE SIZE

24"	11.2-24
	14.9-24
38"	11.2-38



IRRIGATION TYRES ND-2



MRT 332 IRRIGATOR ND-2

TYRE SIZE

24"	11.2-24
	14.9-24
38"	11.2-38



TRACTOR FRONT TYRES



MTF 212

THREE RIB PREMIUM

TYRE SIZE

8"	4.00-8
12"	4.00-12
15"	5.00-15
	9.5L-15
	11L-15

16"	5.50-16
	6.00-16
	6.50-16
	7.50-16
	9.00-16
	10.00-16
	11.00-16
16.1"	14L-16.1

18"	7.50-18
19"	4.00-19
	6.00-19
20"	7.50-20



2WD TRACTOR



UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES



MTF 221

TWO RIB PREMIUM

TYRE SIZE

16"	5.50-16
	6.00-16
	6.50-16
	7.50-16
18"	7.50-18
19"	7.00-19

20"	6.50-20
	7.50-20



2WD TRACTOR



UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES



MTF 222

DOUBLE RIB

TYRE SIZE

16"	4.00-16
	4.50-16
	5.00-16
	6.00-16
	7.50-16
18"	7.50-18
20"	7.50-20



2WD TRACTOR



UTILITY TRACTOR
MFWA

TRACTOR FRONT TYRES



MTF 257 SINGLE RIB

TYRE SIZE	
10"	4.50-10
12"	4.50-12
14"	5.20-14
16"	5.00-16
	5.50-16
	6.00-16
	6.50-16
	7.50-16
20"	6.50-20



TRACTOR FRONT TYRES



MTF 258 POWER AGRO

TYRE SIZE	
16"	6.00-16



TRACTOR FRONT TYRES



MTF 256 SUPREME PLUS

TYRE SIZE	
16"	6.00-16
	7.50-16



TRACTOR FRONT TYRES



MTF 284

FOUR RIB

TYRE SIZE

15"	9.5L-15 11L-15
16"	10.00-16 11.00-16
16.1"	14L-16.1
18"	7.50-18



2WD TRACTOR



UTILITY TRACTOR
MFWA

AGRICULTURAL IMPLEMENT TRAILER TYRES



MAW 200

IMPLEMENT

TYRE SIZE

12"	10.0/80-12
15.3"	10.0/75-15.3 11.5/80-15.3 12.5/80-15.3
16"	10.5/65-16



TRAILER



BALER



AGRICULTURAL
IMPLEMENTS

AGRICULTURAL IMPLEMENT TRAILER TYRES



MAW 203

IMPLEMENT

TYRE SIZE

12"	7.00-12 10.0/80-12	18"	10.5/80-18 12.5/80-18 13.0/65-18
15.3"	10.0/75-15.3 11.5/80-15.3 12.5/80-15.3		
16"	6.00-16 7.50-16 10.5/65-16 13.0/55-16 13.0/75-16		



TRAILER



BALER



AGRICULTURAL
IMPLEMENTS

AGRICULTURAL IMPLEMENT TRAILER TYRES



TYRE SIZE	
16"	14.0/65-16
17"	15.0/55-17



MAW 905 AW

AGRICULTURAL IMPLEMENT TRAILER TYRES



TYRE SIZE	
17"	15.0/55-17



MAW 905L AW - LITE

AGRICULTURAL IMPLEMENT TRAILER TYRES



TYRE SIZE	
15.3"	260/70-15.3
	300/80-15.3
17"	380/55-17
	480/45-17
	500/50-17



MAW 906 AW

AGRICULTURAL IMPLEMENT TRAILER TYRES



MAW 977 AW

TYRE SIZE

15.5"

400/60-15.5

17"

19.0/45-17

500/50-17



BALER



AGRICULTURAL
IMPLEMENTS

AGRICULTURAL IMPLEMENT TRAILER TYRES



RIB 707 RIB

TYRE SIZE

14.5"

200/60-14.5

250/65-14.5

18"

12.0-18



BALER



AGRICULTURAL
IMPLEMENTS

FARM IMPLEMENT I-1 TYRES



MIM 104 RIB

TYRE SIZE

14"

9.5L-14

11L-14

15"

9.5L-15

10.00-15

11L-15

7.60-15

12.5L-15

32x11.50-15

31x13.50-15

16"

6.50-16

7.50-16

11L-16

12.5L-16

16.1"

16.5L-16.1

21.5L-16.1



TRAILER



AGRICULTURAL
IMPLEMENTS

FARM & HIGHWAY TYRES



FI 105

RIB

TYRE SIZE

15"

9.5L-15 FI

11L-15 FI

12.5L-15 FI

32x11.50-15 FI



TRAILER



AGRICULTURAL
IMPLEMENTS

FARM & ROAD TYRES



MAW 203

AW FLAT BASE

TYRE SIZE

16"

10.50-16



TRAILER



BALER



AGRICULTURAL
IMPLEMENTS

FLOTATION - IMPLEMENT TRACTION TYRES



PRINCE 339

FLOTATION

TYRE SIZE

15.5"

400/45-15.5



2WD TRACTOR



4WD TRACTOR



AGRICULTURAL
IMPLEMENTS

FLOTATION - IMPLEMENT TRACTION TYRES



TYRE SIZE

15.5"

400/60-15.5

PRINCE 335 FLOTATION



2WD TRACTOR



4WD TRACTOR



TRAILER



AGRICULTURAL
IMPLEMENTS

FLOTATION - IMPLEMENT TRACTION TYRES



TYRE SIZE

17"

500/50-17

PRINCE 337 FLOTATION



2WD TRACTOR



4WD TRACTOR



TRAILER



AGRICULTURAL
IMPLEMENTS

FLOTATION TRAILER TYRES



TYRE SIZE

22.5"

500/45-22.5

500/60-22.5

550/45-22.5

550/60-22.5

600/50-22.5

600/55-22.5

700/40-22.5

PRINCE 338 FLOTATION



2WD TRACTOR



4WD TRACTOR



TRAILER



BALER

FLOTATION TRAILER TYRES


MEX 340
EXCAVATOR PRINCE

TYRE SIZE

22.5"
500/60-22.5
550/45-22.5
600/40-22.5
600/50-22.5
700/40-22.5



TRAILER



EXCAVATOR


 FORESTRY
FORWARDER

AS / R1 - IMPLEMENT TRACTION TYRES


MIM 374
R1 - IMP TRACTION

TYRE SIZE

8"
4.80-8
10"
5.00-10
12"
6.5/80-12
11.0/65-12
7.00-12
320/60-12
15"
5.00-15

15.3"
10.0/75-15.3
11.5/80-15.3
15.5"
280/60-15.5
16"
4.00-16
6.00-16
6.50-16
7-16
7.50-16
8-16
9.50-16

17"
15.0/55-17
19.0/45-17
18"
7.50-18
12.5/80-18
20"
7.50-20
405/70-20
24"
15.5/80-24
405/70-24
16.5/85-24



2WD TRACTOR


 UTILITY TRACTOR
MFWA

AS / R1 - IMPLEMENT TRACTION TYRES


MIM 375
R1 - IMP TRACTION

TYRE SIZE

15"
6.5/80-15



2WD TRACTOR


 UTILITY TRACTOR
MFWA


BACKHOE

AS / R1 - IMPLEMENT TRACTION TYRES



MRT 356

R1 - IMP TRACTION

TYRE SIZE

16"

6.00-16



2WD TRACTOR



UTILITY TRACTOR
MFWA

AS / R1 - IMPLEMENT TRACTION TYRES



MIM 378

IMPLEMENT

TYRE SIZE

15"

185/65-15

180/100-15

190/95-15

16"

7.50-16



2WD TRACTOR



UTILITY TRACTOR
MFWA



BACKHOE

TRACTOR TRAILER TYRES



MTT 905

MILITARY

TYRE SIZE

16"

9.00-16



LIGHT COM VEHICLE



SAND TRAILER

TRACTOR TRAILER TYRES

TYRE SIZE

16"
9.00-16



LIGHT COM VEHICLE



SAND TRAILER



JEEP



MTT 909 TRAILER

TRACTOR TRAILER TYRES

TYRE SIZE

18"
16.5/70-18



LIGHT COM VEHICLE



SAND TRAILER



JEEP



MTT 910 TRAILER

TRACTOR TRAILER TYRES

TYRE SIZE

16"
9.00-16



LIGHT COM VEHICLE



SAND TRAILER



JEEP



ML 869 MILITARY

TRACTOR TRAILER TYRES



MTT 914

MILITARY

TYRE SIZE

16"

9.00-16

9.00-16FB



LIGHT COM VEHICLE



SAND TRAILER

TRACTOR TRAILER TYRES



ML 653

LUG

TYRE SIZE

16"

7.50-16



LIGHT COM VEHICLE



TRUCK



JEEP

TRACTOR TRAILER TYRES



MSL 644

JUPITER

TYRE SIZE

20"

6.50-20



SAND TRAILER

MOBILE HOME TRAILER TYRES



TYRE SIZE	
9"	
	6.00-9



CARAVAN

MT 007 MOBI

CABLE TYRES



TYRE SIZE	
8"	
	18x7-8



CABLE CAR

MS 440 GRIPKING

GOLF, LAWN & GARDEN TYRES



TYRE SIZE	
8"	
	18x8.50-8



MOWER



GOLF CART

MG23 RIB

GOLF, LAWN & GARDEN TYRES



MG54

Z-WIDE

TYRE SIZE

6"	15x6.00-6
8"	16x6.50-8 18x8.50-8
10"	20x10.00-10
12"	23x8.50-12 23x10.50-12 26x12-12
16.5"	33x15.5-16.5



MOWER



GOLF CART

GOLF, LAWN & GARDEN TYRES



MG45

MAXI

TYRE SIZE

10"	205/50-10
-----	-----------



MOWER



GOLF CART

GOLF, LAWN & GARDEN TYRES



MG41

SAW TOOTH

TYRE SIZE

8"	18x8.50-8
----	-----------



MOWER



GOLF CART

TRENCHER TYRES



MTR 600

R1

TYRE SIZE

12"

23x10.50-12

15"

29x12.50-15

31x15.5-15



MOWER



GOLF CART

TRENCHER TYRES



MTR 601

R1

TYRE SIZE

12"

26x12-12



TRENCHER



Utility Tractor
MFWA

LAWN & GARDEN - SPECIAL TYRES



MTR 602

GECKO

TYRE SIZE

10"

22x11.00-10

12"

23x10.50-12



MOWER



GOLF CART

ADV IMPLEMENT TYRES



MIM 113

KIRTI

TYRE SIZE

19"

5.00-19

6.00-19

7.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIM 115

JAI KISAN JUNIOR

TYRE SIZE

19"

5.00-19

7.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIM 149

KESARI

TYRE SIZE

19"

5.00-19

6.00-19

7.00-19

8.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIM 150

MR 87

TYRE SIZE

19"

5.00-19

6.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIM 176

DABANG

TYRE SIZE

19"

5.00-19

7.00-19

8.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIM 185

MAHAVEER

TYRE SIZE

19"

6.00-19

7.00-19

8.00-19



AGRICULTURAL
IMPLEMENTS

ADV IMPLEMENT TYRES



MIM 167

M95

TYRE SIZE

20"

6.00-20



AGRICULTURAL
IMPLEMENTS

INDUSTRIAL OTR EARTHMOVER RANGE



GRADER TYRES



MG2- 401

SUPERCAT

TYRE SIZE

24"

13.00-24

14.00-24



DOZER



GRADER



BACKHOE

GRADER TYRES



MG2- 402

BLACK CAT

TYRE SIZE

24"

13.00-24

14.00-24



DOZER



GRADER



BACKHOE

GRADER TYRES



MG2- 419

SUPER GRADER

TYRE SIZE

25"

15.5-25

17.5-25

20.5-25



DOZER



GRADER



BACKHOE

MPT TYRES (MULTI PURPOSE TRUCK)



MPT 446 MPT

TYRE SIZE	
15.3"	10.0/75-15.3
	11.5/80-15.3
18"	10.5-18
	12.5-18
19.5"	18-19.5
	14.5-20MPT



INDUSTRIAL TRACTORS TYRES



MIT 293 PREMIUM

TYRE SIZE	
15"	32x11.50-15



INDUSTRIAL TRACTORS TYRES



MIT 295 HD HEAVY DUTY

TYRE SIZE	
15"	11L-15
	32x11.50-15
16"	11L-16



R4 TYRES



MTU 428

SUPER CAT

TYRE SIZE

24"	
	16.9-24
	17.5L-24
	18.4-24
	19.5L-24
	21L-24
26"	
	18.4-26
28"	
	16.9-28



DOZER



GRADER



BACKHOE

ATU TYRES (ALL TRACTION UTILITY)



ATU- 410

SUPER CAT

TYRE SIZE

18"		26"	
	10.5/80-18		18.4-26
	12.5/80-18		
24"			
	16.9-24		16.9-28
	17.5L-24		
	18.4-24		
	19.5L-24		
	21L-24		
			16.9-30



DOZER



GRADER



BACKHOE

R4 TYRES



MTU 430 **ROCKY HD**

TYRE SIZE

15"	33x12.5-15	24"	16.9-24
16"	12.5/70-16		17.5L-24
			18.4-24
18"	12.5/80-18		19.5L-24
	15.5/60-18		21L-24
	15.5/70-18		400/80-24
			440/80-24
20"	17.5/65-20	26"	18.4-26
	400/70-20		
		28"	16.9-28
		30"	16.9-30



ATU TYRES (ALL TRACTION UTILITY)



ATU- 482 **THE BEAST HD**

TYRE SIZE

18"	12.5/80-18
24"	19.5L-24
	14.00-24
26"	18.4-26
28"	16.9-28



WIDEWALL FORKLIFT INDUSTRIAL



MFL 437

RIM-GUARD

TYRE SIZE

8"	18x7-8 4.00-8 5.00-8
9"	6.00-9
10"	6.50-10
12"	7.00-12
15"	8.15-15 8.25-15



FORKLIFT

WIDEWALL FORKLIFT INDUSTRIAL



MFL 438

LOAD GRIP +

TYRE SIZE

5"	23x5
8"	18x7-8 4.00-8 5.00-8
9"	6.00-9
10"	6.50-10
12"	7.00-12

15"	8.15-15 8.25-15 250-15 300-15 7.00-15 7.50-15
-----	--



FORKLIFT

WIDEWALL FORKLIFT INDUSTRIAL



MFL 439

SUPER HD

TYRE SIZE

20"	10.00-20 12.00-20
-----	----------------------



FORKLIFT

SKID LOADER TYRES



TYRE SIZE	
16.5"	
	10-16.5
	12-16.5



ML2 455 **SKID STAR**

SKID LOADER TYRES



TYRE SIZE	
12"	
	23x8.50-12
15"	
	27x8.50-15
16.5"	
	10-16.5
	12-16.5
	31.5x13-16.5
	33x15.5-16.5
17.5"	
	14-17.5
19.5"	
	15-19.5



ML2 464 **SUPERCAT HD**

SKID LOADER TYRES



TYRE SIZE	
16.5"	
	10-16.5
	12-16.5



ML2 473 **XTREME TRAC HD**

SKID LOADER TYRES



ML2 474

ROCK TRAC HD

TYRE SIZE

16.5"

10-16.5

12-16.5



DOZER



BACKHOE



SKIDSTEER

SKID LOADER TYRES



ML2 482 HD

THE BEAST HD

TYRE SIZE

16.5"

10-16.5

12-16.5



DOZER



BACKHOE



SKIDSTEER

E-4 TYRES



ME4 457

PORT MAXX

TYRE SIZE

25"

14.00-25

18.00-25



WHEEL LOADER



LOAD HAUL DUMPER



ARTICULATED DUMP TRUCK



REACH STACKER



PORT APPLICATION

E-3/L-3 TYRES



TYRE SIZE	
20"	10.00-20
	11.00-20
24"	12.00-24
	14.00-24
25"	14.00-25

-  DOZER
-  DUMP TRUCK
-  WHEEL LOADER
-  LOAD HAUL DUMPER
-  ARTICULATED DUMP TRUCK

E-3/L-3 TYRES



TYRE SIZE	
24"	14.00-24

-  DOZER
-  DUMP TRUCK
-  WHEEL LOADER
-  LOAD HAUL DUMPER
-  ARTICULATED DUMP TRUCK

E-3/L-3 TYRES



TYRE SIZE	
20"	17.5/65-20
24"	16.9-24
25"	15.5-25
	17.5-25
	20.5-25
	23.5-25
	26.5-25
	29.5-25

-  DOZER
-  DUMP TRUCK
-  WHEEL LOADER
-  LOAD HAUL DUMPER
-  ARTICULATED DUMP TRUCK

E-3/L-3 TYRES



ME3 455

ROCK LUG

TYRE SIZE

25"

15.5-25

17.5-25

20.5-25

23.5-25



DOZER



DUMP TRUCK



WHEEL LOADER



LOAD HAUL
DUMPER



ARTICULATED
DUMP TRUCK

E-3/L-3 TYRES



ME3 458

HIGH LOADER

TYRE SIZE

25"

14.00-25



DOZER



DUMP TRUCK



WHEEL LOADER



LOAD HAUL
DUMPER



ARTICULATED
DUMP TRUCK

COMPACTOR TYRES



TYRE SIZE	
16.1"	13.5-16.1
26"	23.1-26



MR3-1067 DIAMOND

COMPACTOR TYRES



TYRE SIZE	
26"	18.4-26



MR3-1068 DIAMOND

COMPACTOR TYRES



TYRE SIZE	
15"	7.50-15
16"	7.50-16
20"	9.00-20
	11.00-20



MS-400 ROLLER KING

EXCAVATOR TYRES



TYRE SIZE

20"
9.00-20
10.00-20



BACKHOE

MEX 473

ROCK LUG

MILITARY TYRES



TYRE SIZE

16"
6.00-16
9.00-16
7.00-16
7.50-16
20"
7.50-20
9.00-20



LIGHT COM VEHICLE



SAND TRAILER



JEEP

ML 869

(M88) MILITARY

SAND TYRES



MR 501 SAND STAR

TYRE SIZE

16"
7.50-16



SAND TYRES



MR 502 SAND MILE

TYRE SIZE

13"
9.00-13



SAND TYRES



MR 503 SAND MAXX

TYRE SIZE

15"	9.00-15
16"	9.00-16
17"	9.00-17
20"	14.00-20
	16.00-20



COMMERCIAL RANGE



RADIAL LIGHT TRUCK- STEEL BELTED TYRES



TYRE SIZE	
15"	
	7.00R15



MR - 14+ STEEL CARGO (SB)

RADIAL LIGHT TRUCK TYRES



TYRE SIZE	
16"	
	185/85R16



MR - 05

HEAVY TRUCK & BUS RIB TYRES



TYRE SIZE	
20"	
	10.00-20
	11.00-20



MR 500 FRONTIER

LIGHT TRUCK (LCV) RIB TYRES


MR 518
TUFF MILER

TYRE SIZE

14"

6.00-14



TRUCK



LIGHT COM VEHICLE



JEEP

LIGHT TRUCK (LCV) RIB TYRES


MR 504
MILE PLUS

TYRE SIZE

14"

6.50-14

15"

7.00-15

7.50-15

8.25-15

16"

6.50-16

7.00-16

7.50-16

8.25-16



TRUCK



LIGHT COM VEHICLE



JEEP

LIGHT TRUCK (LCV) RIB TYRES


MR 500
FRONTIER

TYRE SIZE

14"

6.50-14

15"

7.00-15

7.50-15

16"

7.00-16

7.50-16

8.25-16

20"

10.00-20



TRUCK



LIGHT COM VEHICLE

LIGHT TRUCK (LCV) RIB TYRES



TYRE SIZE	
16"	7.50-16



LIGHT COM VEHICLE

MR 563 MILER RIB

LIGHT TRUCK (LCV) TYRES



TYRE SIZE	
14"	6.50-14
15"	7.00-15
	7.50-15
16"	7.00-16
	7.50-16
	8.25-16



LIGHT COM VEHICLE



SMALL COMMERCIAL VEHICLE

ML 600 LOAD SUPER

LIGHT TRUCK (LCV) LUG TYRES



TYRE SIZE	
15"	7.00-15
16"	7.00-16
	7.50-16
	8.25-16



LIGHT COM VEHICLE

ML 601 LOAD POWER

LIGHT TRUCK (LCV) LUG TYRES



ML 602

TRACK FIGHTER

TYRE SIZE

16"

8.25-16



LIGHT COM VEHICLE

LIGHT TRUCK (LCV) SEMI LUG TYRES



MSL 608

ULTRA MILER 92

TYRE SIZE

15"

7.00-15

16"

7.00-16



LIGHT COM VEHICLE

LIGHT TRUCK (LCV) SEMI LUG TYRES



MSL 617

HUNTER

TYRE SIZE

14"

6.50-14



LIGHT COM VEHICLE



JEEP

LIGHT TRUCK (LCV) SEMI LUG TYRES



TYRE SIZE

16"

7.50-16



LIGHT COM VEHICLE

MSL 689

M 77

LIGHT TRUCK (LCV) SEMI LUG TYRES



TYRE SIZE

16"

7.50-16



LIGHT COM VEHICLE



JEEP

MR 806

KARISMA



ULTRA LIGHT TRUCK TYRES (RIB)


MR 504
MILE PLUS

TYRE SIZE

10"
5.00-10

 SMALL COMMERCIAL
VEHICLE

ULTRA LIGHT TRUCK TYRES (RIB)


MR 518
TUFF MILER

TYRE SIZE

10"
5.00-10
12"
4.50-12
5.00-12

 SMALL COMMERCIAL
VEHICLE

ULTRA LIGHT TRUCK TYRES (RIB)


MR 519
SAARTHI SUPER

TYRE SIZE

10"
5.00-10

 SMALL COMMERCIAL
VEHICLE

ULTRA LIGHT TRUCK TYRES (RIB)



TYRE SIZE	
12"	155D-12
	165D-12
13"	165D-13
14"	165D-14
	185D-14



SMALL COMMERCIAL
VEHICLE

MR 500 FRONTIER

ULTRA LIGHT TRUCK TYRES (RIB)



TYRE SIZE	
13"	5.50-13



SMALL COMMERCIAL
VEHICLE

MR 896 LOADER

ULTRA LIGHT TRUCK TYRES (LUG)



TYRE SIZE	
13"	5.50-13



SMALL COMMERCIAL
VEHICLE

ML 600 LOAD SUPER

ULTRA LIGHT TRUCK TYRES



ML 601

LOADER POWER

TYRE SIZE

10"	4.50-10
	5.00-10
12"	155D-12
	165D-12
13"	165D-13
14"	165D-14
	185D-14



LIGHT COM VEHICLE

ULTRA LIGHT TRUCK TYRES



MSL 644

JUPITER

TYRE SIZE

12"	5.00-12
-----	---------



SAND TRAILER



LIGHT COM VEHICLE



JEEP & CAR TYRES



TYRE SIZE
14"

5.20-14

5.60-14



LIGHT COM VEHICLE



JEEP

MR 806

KARISMA

JEEP & CAR TYRES



TYRE SIZE
12"

5.65-12



LIGHT COM VEHICLE

MR 815

MILER GRIP



JEEP & CAR TYRES



MR 842 RIDER92

TYRE SIZE	
14"	
	5.20-14



JEEP & CAR TYRES



MSL 617 HUNTER

TYRE SIZE	
16"	
	6.00-16



JEEP & CAR TYRES



ML 869 M88

TYRE SIZE	
16"	
	6.00-16



JEEP & CAR TYRES



MR 878 CIVIL

TYRE SIZE	
16"	
	6.00-16



JEEP & CAR TYRES



MR 887 EAGLE

TYRE SIZE	
16"	
	6.00-16



JEEP & CAR TYRES



MR 518 TUFF MILLER

TYRE SIZE	
16"	
	6.00-16



JEEP & CAR TYRES



TYRE SIZE	
15"	
	F78-15



JEEP & CAR TYRES



TYRE SIZE	
15"	
	195/80D15



JEEP & CAR TYRES



TYRE SIZE	
15"	
	195/80D15



3 WHEELERS AUTO TYRES



TYRE SIZE	
8"	
	4.00-8



MR 777 AUTO KING SUPER

3 WHEELERS AUTO TYRES



TYRE SIZE	
8"	4.00-8
10"	4.00-10
	4.50-10



MR 519 SAARTHI SUPER

3 WHEELERS AUTO TYRES



TYRE SIZE	
8"	4.00-8



MR 716 KIRTI SUPER

3 WHEELERS AUTO TYRES



MR 734

M94R SUPER

TYRE SIZE

8"

4.00-8



AUTO RICKSHAW

3 WHEELERS AUTO TYRES



ML680

LUG SUPER

TYRE SIZE

8"

4.00-8



AUTO RICKSHAW

3 WHEELERS AUTO TYRES



MR 572

MAHARAJA SUPER

TYRE SIZE

10"

4.50-10



AUTO RICKSHAW



LIGHT COM VEHICLE

3 WHEELERS AUTO TYRES



TYRE SIZE

10"
4.50-10



AUTO RICKSHAW



LIGHT COM VEHICLE

MR 806+

KARISMA SUPER

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE

8"
3.50-8
10"
2.75-10



SCOOTER

MR 833

M94

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE

10"
3.00-10



SCOOTER

MT 913

ANTI SKID

SCOOTER & MOTORCYCLE TYRES



MT 914

MAX MILER

TYRE SIZE

17"

2.75-17

18"

2.75-18



SCOOTER & MOTORCYCLE TYRES



MT 911

SAFARI+

TYRE SIZE

10"

90/100-10



SCOOTER & MOTORCYCLE TYRES



MT 912

DABANG+

TYRE SIZE

10"

90/100-10



SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
17"	2.75-17
18"	2.75-18



MT 909 RIB

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
17"	3.00-17
	100/90-17



MT 908 FIRE-X

SCOOTER & MOTORCYCLE TYRES



TYRE SIZE	
17"	100/90-17
	120/80-17
	140/70-17



MT 907 FIRE-ZEE

SCOOTER & MOTORCYCLE TYRES



MT 905

RANGER

TYRE SIZE

18"

2.75-18

3.00-18



MOTOR CYCLE

SCOOTER & MOTORCYCLE TYRES



MT 906

XGRIP

TYRE SIZE

17"

3.00-17

18"

2.75-18

3.00-18

100/90-18



MOTOR CYCLE

SCOOTER & MOTORCYCLE TYRES



MT 910

HI GRIP+

TYRE SIZE

17"

3.00-17

100/90-17

18"

2.75-18

3.00-18

100/90-18

19"

3.25-19



MOTOR CYCLE

SCOOTER & MOTORCYCLE TYRES


MR 779
HI-GRIP

TYRE SIZE

17"	3.00-17
18"	3.00-18
19"	3.25-19



SCOOTER & MOTORCYCLE TYRES


MR 797
M95

TYRE SIZE

18"	3.00-18
19"	3.00-19



SCOOTER & MOTORCYCLE TYRES


MT 913
PHOENIX

TYRE SIZE

17"	3.00-17
18"	2.75-18
	3.00-18
19"	3.50-19



ELECTRIC RICKSHAW TYRES



TYRE SIZE

10"

3.50-10

12"

90/90-12



E - RICKSHAW

MT 911

SAFARI+

ELECTRIC RICKSHAW TYRES



TYRE SIZE

12"

3.75-12



E - RICKSHAW

MT 910

HI GRIP +

ELECTRIC RICKSHAW TYRES



TYRE SIZE

12"

4.00-12



E - RICKSHAW

ML 653

HAATHI

ELECTRIC RICKSHAW TYRES



TYRE SIZE	
12"	
	90/90-12



E - RICKSHAW

MT 912

DABANG +

ELECTRIC RICKSHAW TYRES



TYRE SIZE	
14"	
	3.00-14



E - RICKSHAW

MT 906

X GRIP

ELECTRIC RICKSHAW TYRES



TYRE SIZE	
12"	
	3.75-12



E - RICKSHAW

MT 915

AJAY

SOLID TYRES RANGE



SOLID TYRES RANGE



LUG



RIB



SMOOTH

GRADE FEATURES

Grade MRL	Application Per Day	Layer Construction	Operation	Duty
Platina	10-12 Hours	2 Layer	Intermittent	Light Duty
Platina Pro	15 Hours	2 Layer	Intermittent	Light Duty
Ultima Pro	20 Hours	3 Layer	Continuous use	Medium Duty
Ultima Star	24 Hours	3 Layer	Continuous use	Heavy Duty

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
4	Platina	RIB	2.10	Intermittent	Light Duty	3.00-4	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	Standard Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.00-4	Standard Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	Standard Solid	24 Hours	3 Layer
	Platina	RIB	2.10	Intermittent	Light Duty	3.00-4	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	LIP Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.00-4	LIP Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	LIP Solid	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	NM STANDARD	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.00-4	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.00-4	NM LIP	24 Hours	3 Layer
	Platina	RIB	2.10	Intermittent	Light Duty	3.50-4	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	Standard Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.50-4	Standard Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	Standard Solid	24 Hours	3 Layer
	Platina	RIB	2.10	Intermittent	Light Duty	3.50-4	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	LIP Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.10	Continuous use	Medium Duty	3.50-4	LIP Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	LIP Solid	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	NM STANDARD	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	2.10	Intermittent	Light Duty	3.50-4	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	2.10	Continuous use	Heavy Duty	3.50-4	NM LIP	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	4.00-4	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	4.00-4	Standard Solid	20 Hours	3 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
4	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	Standard Solid	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	4.00-4	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	4.00-4	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	4.00-4	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	4.00-4	NM LIP	24 Hours	3 Layer
6	Platina	LUG	4.50	Intermittent	Light Duty	140/55-6	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.50	Continuous use	Medium Duty	140/55-6	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.50	Intermittent	Light Duty	140/55-6	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.50	Continuous use	Medium Duty	140/55-6	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.50	Intermittent	Light Duty	140/55-6	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.50	Continuous use	Heavy Duty	140/55-6	NM LIP	24 Hours	3 Layer
	Platina	LUG	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.75	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
8	Platina	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
	Platina	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	2.75	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	2.75	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
	Platina	RIB	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.75	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
	Platina	RIB	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	RIB	2.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	2.75	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	2.75	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer

SOLID TYRES RANGE

8

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
Platina	LUG	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
Platina	RIB	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.00	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
Platina	RIB	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.00	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	RIB	3.00	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	RIB	3.00	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
Platina	RIB	3.75	Intermittent	Light Duty	4.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75	Continuous use	Medium Duty	4.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	Standard Solid	24 Hours	3 Layer
Platina	RIB	3.75	Intermittent	Light Duty	4.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75	Continuous use	Medium Duty	4.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	RIB	3.75	Intermittent	Light Duty	4.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	RIB	3.75	Continuous use	Heavy Duty	4.00-8	NM LIP	24 Hours	3 Layer
Platina	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	3.00	Continuous use	Medium Duty	12x3 1/2-8	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	Standard Solid	24 Hours	3 Layer
Platina	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	3.00	Continuous use	Medium Duty	12x3 1/2-8	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	3.00	Intermittent	Light Duty	12x3 1/2-8	NM LIP	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
8	Ultima Star	SM	3.00	Continuous use	Heavy Duty	12x3 1/2-8	NM LIP	24 Hours	3 Layer
	Platina	SM	2.50	Intermittent	Light Duty	100/80-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	2.50	Continuous use	Medium Duty	100/80-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	Standard Solid	24 Hours	3 Layer
	Platina	SM	2.50	Intermittent	Light Duty	100/80-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	2.50	Continuous use	Medium Duty	100/80-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	SM	2.50	Intermittent	Light Duty	100/80-8	NM LIP	15 Hours	2 Layer
	Ultima Star	SM	2.50	Continuous use	Heavy Duty	100/80-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	15x4 1/2-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	2.50	Continuous use	Medium Duty	15x4 1/2-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	2.50	Intermittent	Light Duty	15x4 1/2-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	2.50	Continuous use	Heavy Duty	15x4 1/2-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	3.00	Continuous use	Medium Duty	15x4 1/2-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	3.00	Continuous use	Medium Duty	15x4 1/2-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	3.00	Intermittent	Light Duty	15x4 1/2-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	3.00	Continuous use	Heavy Duty	15x4 1/2-8	NM LIP	24 Hours	3 Layer
	Platina	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	3.00	Continuous use	Medium Duty	15X4 1/2-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	Standard Solid	24 Hours	3 Layer
	Platina	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	3.00	Continuous use	Medium Duty	15X4 1/2-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	NM STANDARD	24 Hours	3 Layer

SOLID TYRES RANGE

8

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	SM	3.00	Intermittent	Light Duty	15X4 1/2-8	NM LIP	15 Hours	2 Layer
Ultima Star	SM	3.00	Continuous use	Heavy Duty	15X4 1/2-8	NM LIP	24 Hours	3 Layer
Platina	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.25	Continuous use	Medium Duty	15X4 1/2-8	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	Standard Solid	24 Hours	3 Layer
Platina	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.25	Continuous use	Medium Duty	15X4 1/2-8	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	3.25	Intermittent	Light Duty	15X4 1/2-8	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	3.25	Continuous use	Heavy Duty	15X4 1/2-8	NM LIP	24 Hours	3 Layer
Platina	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	3.25	Continuous use	Medium Duty	15x4 1/2-8	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	Standard Solid	24 Hours	3 Layer
Platina	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	3.25	Continuous use	Medium Duty	15x4 1/2-8	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	3.25	Intermittent	Light Duty	15x4 1/2-8	NM LIP	15 Hours	2 Layer
Ultima Star	SM	3.25	Continuous use	Heavy Duty	15x4 1/2-8	NM LIP	24 Hours	3 Layer
Platina	LUG	3.00	Intermittent	Light Duty	5.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	5.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	Standard Solid	24 Hours	3 Layer
Platina	LUG	3.00	Intermittent	Light Duty	5.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	3.00	Continuous use	Medium Duty	5.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	3.00	Intermittent	Light Duty	5.00-8	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	3.00	Continuous use	Heavy Duty	5.00-8	NM LIP	24 Hours	3 Layer
Platina	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	Standard Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	Standard Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75,3.00	Continuous use	Medium Duty	5.00-8	Standard Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	Standard Solid	24 Hours	3 Layer
Platina	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	LIP Solid	10-12 Hours	2 Layer
Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	LIP Solid	15 Hours	2 Layer
Ultima Pro	RIB	3.75,3.00	Continuous use	Medium Duty	5.00-8	LIP Solid	20 Hours	3 Layer
Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	LIP Solid	24 Hours	3 Layer
Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	NM STANDARD	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
8	Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	RIB	3.75,3.00	Intermittent	Light Duty	5.00-8	NM LIP	15 Hours	2 Layer
	Ultima Star	RIB	3.75,3.00	Continuous use	Heavy Duty	5.00-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	16x6-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	16x6-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	16x6-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	16x6-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	NM STANDARD White	15 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	NM STANDARD Grey	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	16x6-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	16x6-8	NM LIP	24 Hours	3 Layer
	Platina	SM	4.33	Intermittent	Light Duty	17x7-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	4.33	Continuous use	Medium Duty	17x7-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	Standard Solid	24 Hours	3 Layer
	Platina	SM	4.33	Intermittent	Light Duty	17x7-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	4.33	Continuous use	Medium Duty	17x7-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	SM	4.33	Intermittent	Light Duty	17x7-8	NM LIP	15 Hours	2 Layer
	Ultima Star	SM	4.33	Continuous use	Heavy Duty	17x7-8	NM LIP	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	18x7-8	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	18x7-8	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.33	Intermittent	Light Duty	18x7-8	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.33	Continuous use	Medium Duty	18x7-8	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	NM STANDARD White	15 Hours	2 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	NM STANDARD Grey	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.33	Intermittent	Light Duty	18x7-8	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.33	Continuous use	Heavy Duty	18x7-8	NM LIP	24 Hours	3 Layer
9	Platina	LUG	4.00	Intermittent	Light Duty	140/55-9	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	140/55-9	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.00	Intermittent	Light Duty	140/55-9	LIP Solid	10-12 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
9	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	140/55-9	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	140/55-9	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	140/55-9	NM LIP	24 Hours	3 Layer
	Platina	LUG	4.00	Intermittent	Light Duty	6.00-9	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	6.00-9	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	Standard Solid	24 Hours	3 Layer
	Platina	LUG	4.00	Intermittent	Light Duty	6.00-9	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	4.00	Continuous use	Medium Duty	6.00-9	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	4.00	Intermittent	Light Duty	6.00-9	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	4.00	Continuous use	Heavy Duty	6.00-9	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	21x8-9	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	21x8-9	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	21x8-9	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	21x8-9	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	21x8-9	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	21x8-9	NM LIP	24 Hours	3 Layer
10	Platina	LUG	6.50	Intermittent	Light Duty	200/50-10	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	200/50-10	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	200/50-10	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	200/50-10	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	200/50-10	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	200/50-10	NM LIP	24 Hours	3 Layer
	Platina	LUG	5.00	Intermittent	Light Duty	6.50-10	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	6.50-10	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	Standard Solid	24 Hours	3 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
10	Platina	LUG	5.00	Intermittent	Light Duty	6.50-10	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	6.50-10	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	6.50-10	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	6.50-10	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	23x9-10	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	23x9-10	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	23x9-10	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	23x9-10	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	23x9-10	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	23x9-10	NM LIP	24 Hours	3 Layer
12	Platina	LUG	5.00	Intermittent	Light Duty	7.00-12	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	7.00-12	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	Standard Solid	24 Hours	3 Layer
	Platina	LUG	5.00	Intermittent	Light Duty	7.00-12	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.00	Continuous use	Medium Duty	7.00-12	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.00	Intermittent	Light Duty	7.00-12	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.00	Continuous use	Heavy Duty	7.00-12	NM LIP	24 Hours	3 Layer
	Platina	LUG	8.00	Intermittent	Light Duty	23x10-12	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	8.00	Continuous use	Medium Duty	23x10-12	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	Standard Solid	24 Hours	3 Layer
	Platina	LUG	8.00	Intermittent	Light Duty	23x10-12	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	8.00	Continuous use	Medium Duty	23x10-12	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	23x10-12	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	8.00	Continuous use	Heavy Duty	23x10-12	NM LIP	24 Hours	3 Layer
	Platina	LUG	8.00	Intermittent	Light Duty	27x10-12	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	8.00	Continuous use	Medium Duty	27x10-12	Standard Solid	20 Hours	3 Layer

SOLID TYRES RANGE

15

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	27x10-12	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	27x10-12	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	27x10-12	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	27x10-12	NM LIP	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.00-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.00-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.00-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.00-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.00-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.00-15	NM LIP	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	5.50	Intermittent	Light Duty	7.50-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-15	NM LIP	24 Hours	3 Layer
Platina	LUG	6.00	Intermittent	Light Duty	7.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	6.00	Intermittent	Light Duty	7.50-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-15	NM LIP	24 Hours	3 Layer
Platina	LUG	6.50	Intermittent	Light Duty	7.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	Standard Solid	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
15	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	7.50-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-15	NM LIP	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	8.15-15	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	8.15-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	8.15-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	8.15-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	8.15-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	NM LIP White	24 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	8.15-15	NM LIP Grey	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-15	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-15	NM LIP	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	2.50-15	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	2.50-15	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	Standard Solid	24 Hours	3 Layer
	Platina	LUG	7.00	Intermittent	Light Duty	2.50-15	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	7.00	Continuous use	Medium Duty	2.50-15	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	7.00	Intermittent	Light Duty	2.50-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	7.00	Continuous use	Heavy Duty	2.50-15	NM LIP	24 Hours	3 Layer

SOLID TYRES RANGE

15

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina	LUG	7.50	Intermittent	Light Duty	2.50-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	2.50-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.50	Intermittent	Light Duty	2.50-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	2.50-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	2.50-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	2.50-15	NM LIP	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	3.00-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	3.00-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	3.00-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	3.00-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	3.00-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	NM LIP White	24 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	3.00-15	NM LIP Grey	24 Hours	3 Layer
Platina	LUG	9.75	Intermittent	Light Duty	355/65-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	9.75	Continuous use	Medium Duty	355/65-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	9.75	Intermittent	Light Duty	355/65-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	9.75	Continuous use	Medium Duty	355/65-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	9.75	Intermittent	Light Duty	355/65-15	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	9.75	Continuous use	Heavy Duty	355/65-15	NM LIP	24 Hours	3 Layer
Platina	LUG	11.00	Intermittent	Light Duty	400/60-15	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	11.00	Continuous use	Medium Duty	400/60-15	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	Standard Solid	24 Hours	3 Layer
Platina	LUG	11.00	Intermittent	Light Duty	400/60-15	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	11.00	Continuous use	Medium Duty	400/60-15	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	NM STANDARD	24 Hours	3 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
15	Platina Pro	LUG	11.00	Intermittent	Light Duty	400/60-15	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	11.00	Continuous use	Heavy Duty	400/60-15	NM LIP	24 Hours	3 Layer
16	Platina	SM	5.50	Intermittent	Light Duty	6.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	SM	5.50	Continuous use	Medium Duty	6.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	Standard Solid	24 Hours	3 Layer
	Platina	SM	5.50	Intermittent	Light Duty	6.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	SM	5.50	Continuous use	Medium Duty	6.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	SM	5.50	Intermittent	Light Duty	6.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	SM	5.50	Continuous use	Heavy Duty	6.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	7.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	7.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	7.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	7.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	7.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	7.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	7.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	7.50-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	7.50-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	7.50-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	NM STANDARD	15 Hours	2 Layer

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
16	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	7.50-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	7.50-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	8.25-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	8.25-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	5.50	Intermittent	Light Duty	8.25-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	5.50	Continuous use	Medium Duty	8.25-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	5.50	Intermittent	Light Duty	8.25-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	5.50	Continuous use	Heavy Duty	8.25-16	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	8.25-16	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	8.25-16	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	8.25-16	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	8.25-16	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	8.25-16	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	8.25-16	NM LIP	24 Hours	3 Layer
20	Platina	LUG	6.00	Intermittent	Light Duty	7.50-20	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-20	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.00	Intermittent	Light Duty	7.50-20	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.00	Continuous use	Medium Duty	7.50-20	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	6.00	Intermittent	Light Duty	7.50-20	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	6.00	Continuous use	Heavy Duty	7.50-20	NM LIP	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-20	Standard Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	Standard Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-20	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	Standard Solid	24 Hours	3 Layer
	Platina	LUG	6.50	Intermittent	Light Duty	8.25-20	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	6.50	Continuous use	Medium Duty	8.25-20	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	LIP Solid	24 Hours	3 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	8.25-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	8.25-20	NM LIP	24 Hours	3 Layer
Platina	SM	10.00	Intermittent	Light Duty	355/50-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	10.00	Continuous use	Medium Duty	355/50-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	Standard Solid	24 Hours	3 Layer
Platina	SM	10.00	Intermittent	Light Duty	355/50-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	10.00	Continuous use	Medium Duty	355/50-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	10.00	Intermittent	Light Duty	355/50-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	10.00	Continuous use	Heavy Duty	355/50-20	NM LIP	24 Hours	3 Layer
Platina	LUG	6.50	Intermittent	Light Duty	9.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.50	Continuous use	Medium Duty	9.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	6.50	Intermittent	Light Duty	9.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	6.50	Continuous use	Medium Duty	9.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	6.50	Intermittent	Light Duty	9.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	6.50	Continuous use	Heavy Duty	9.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	9.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	9.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	9.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	9.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	9.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	9.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.00	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.00	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.00	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.00	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	7.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	7.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	7.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	Standard Solid	15 Hours	2 Layer
Ultima Pro	SCR	8.00	Continuous use	Medium Duty	10.00-20 SCR	Standard Solid	20 Hours	3 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	Standard Solid	24 Hours	3 Layer
Platina	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	LIP Solid	15 Hours	2 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Pro	SCR	8.00	Continuous use	Medium Duty	10.00-20 SCR	LIP Solid	20 Hours	3 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	LIP Solid	24 Hours	3 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	NM STANDARD	15 Hours	2 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	NM STANDARD	24 Hours	3 Layer
Platina Pro	SCR	8.00	Intermittent	Light Duty	10.00-20 SCR	NM LIP	15 Hours	2 Layer
Ultima Star	SCR	8.00	Continuous use	Heavy Duty	10.00-20 SCR	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	10.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	10.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	10.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	10.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	11.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	11.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	7.50	Intermittent	Light Duty	11.00-20	LIP Solid	10-12 Hours	2 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	7.50	Continuous use	Medium Duty	11.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	7.50	Intermittent	Light Duty	11.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	7.50	Continuous use	Heavy Duty	11.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	11.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	11.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	11.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	11.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	11.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	11.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	11.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	11.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	11.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	11.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	11.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	11.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.00	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.00	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.00	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer

SOLID TYRES RANGE

20

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Platina	SM	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	12.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	12.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	12.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	12.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	13.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	13.00-20	Standard Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.00	Intermittent	Light Duty	13.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.00	Continuous use	Medium Duty	13.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.00	Intermittent	Light Duty	13.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.00	Continuous use	Heavy Duty	13.00-20	NM LIP	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	13.00-20	Standard Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	Standard Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	13.00-20	Standard Solid	20 Hours	3 Layer

SOLID TYRES RANGE

24

Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	Standard Solid	24 Hours	3 Layer
Platina	SM	8.50	Intermittent	Light Duty	13.00-20	LIP Solid	10-12 Hours	2 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	LIP Solid	15 Hours	2 Layer
Ultima Pro	SM	8.50	Continuous use	Medium Duty	13.00-20	LIP Solid	20 Hours	3 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	LIP Solid	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	NM STANDARD	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	NM STANDARD	24 Hours	3 Layer
Platina Pro	SM	8.50	Intermittent	Light Duty	13.00-20	NM LIP	15 Hours	2 Layer
Ultima Star	SM	8.50	Continuous use	Heavy Duty	13.00-20	NM LIP	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-24	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-24	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	Standard Solid	24 Hours	3 Layer
Platina	LUG	8.50	Intermittent	Light Duty	12.00-24	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	8.50	Continuous use	Medium Duty	12.00-24	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	8.50	Intermittent	Light Duty	12.00-24	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	8.50	Continuous use	Heavy Duty	12.00-24	NM LIP	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	12.00-24	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	12.00-24	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	Standard Solid	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	12.00-24	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	12.00-24	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	12.00-24	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	12.00-24	NM LIP	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	14.00-24	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	Standard Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-24	Standard Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	Standard Solid	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	14.00-24	LIP Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	LIP Solid	15 Hours	2 Layer
Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-24	LIP Solid	20 Hours	3 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	LIP Solid	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	NM STANDARD	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	NM STANDARD	24 Hours	3 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-24	NM LIP	15 Hours	2 Layer
Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-24	NM LIP	24 Hours	3 Layer
Platina	LUG	10.00	Intermittent	Light Duty	14.00-25	Standard Solid	10-12 Hours	2 Layer
Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	Standard Solid	15 Hours	2 Layer

25

SOLID TYRES RANGE

	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Application Per Day	Layer Construction
25	Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-25	Standard Solid	20 Hours	3 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	Standard Solid	24 Hours	3 Layer
	Platina	LUG	10.00	Intermittent	Light Duty	14.00-25	LIP Solid	10-12 Hours	2 Layer
	Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	LIP Solid	15 Hours	2 Layer
	Ultima Pro	LUG	10.00	Continuous use	Medium Duty	14.00-25	LIP Solid	20 Hours	3 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	LIP Solid	24 Hours	3 Layer
	Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	NM STANDARD	15 Hours	2 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	NM STANDARD	24 Hours	3 Layer
	Platina Pro	LUG	10.00	Intermittent	Light Duty	14.00-25	NM LIP	15 Hours	2 Layer
	Ultima Star	LUG	10.00	Continuous use	Heavy Duty	14.00-25	NM LIP	24 Hours	3 Layer

SKID STEER SOLID TYRES R4 TREAD WITH APERTURES



	Grade MRL	Pattern	Rim Size	Operation	Duty	Tyre Size	Pattern Name	Layer Construction
16	Economy	R-4	6.00	Intermittent	Light Duty	31X10X16	Standard Solid	2 Layer
	Standard	R-4	6.00	Continuous use	Medium Duty	31X10X16	Standard Solid	3 Layer
	Economy	R-4	6.00	Intermittent	Light Duty	31X10X16	LIP SOLID	2 Layer
	Standard	R-4	6.00	Continuous use	Medium Duty	31X10X16	LIP SOLID	3 Layer
20	Economy	R-4	7.50	Intermittent	Light Duty	33X12X20	Standard Solid	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	33X12X20	Standard Solid	3 Layer
	Economy	R-4	7.50	Intermittent	Light Duty	33X12X20	LIP SOLID	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	33X12X20	LIP SOLID	3 Layer
	Economy	R-4	7.50	Intermittent	Light Duty	31X10-20	Standard Solid	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	31X10-20	Standard Solid	3 Layer
	Economy	R-4	7.50	Intermittent	Light Duty	31X10-20	LIP SOLID	2 Layer
	Standard	R-4	7.50	Continuous use	Medium Duty	31X10-20	LIP SOLID	3 Layer

BUTYL TUBES



AGRICULTURE RANGE

TUBE SIZE	VALVE
9.5-48	TR 218A
18.8/20.8 R 42	TR 218A
8.3/9.5-44	TR 218A
20.8-38	TR 218A
18.4-38	TR 218A
18.4-34	TR 218A
15.5/16-38	TR 218A
16.9-38	TR 218A
14.9/13-38	TR 218A
13.6/12-38	TR 218A
12.4/13.6-36	TR 218A
9.5/9-36	TR 218A
18.4/15-34	TR 218A
16.9/14-34	TR 218A
650/75-32	TR 218A
30.5 L 32	TR 218A
12.4-32	TR 218A
8.3-32	TR 218A
9.5-32	TR 218A
18.4/15-30 HD	TR 218A
18.4/15-30	TR 218A
16.9/14-30	TR 218A

TUBE SIZE	VALVE
14.9/13-30	TR 218A
16.9/14-28	TR 218A
14.9/13-28	TR 218A
13.6/12-28 HD	TR 218A
13.6/12-28	TR 218A
12.4/11-28 HD	TR 218A
12.4/11-28	TR 218A
11.2/10-28	TR 218A
23.1/18-26	TR 218A
18.4/15-26	TR 218A
16.9-24	TR 218A
14.9/13-24	TR 218A
13.6/12-24	TR 218A
11.2-24 / 12.4-24	TR 218A
8.3/9.5-24	TR 218A
16.0/70-20	TR 218A
14.5-20	TR 218A
12.5-20	TR 218A
11.2-20	TR 218A
10.5-20	TR 218A
8.3-20	TR 218A

IMPLEMENT RANGE

TUBE SIZE	VALVE
8.00-19	TR 15
7.00-19	TR 15
6.00-19	TR 15
5.00-19	TR 15
12.5-18	TR 218A
10.5-18	TR 218A
12.5/80-18	TR 218A
12.5/80-18	TR 15
8.00-18	TR 15
7.50-18	TR 15
550/50-17	TR 15
12-16.5	TR 15
10.50-16	TR 15
9.00-16 HD	TR 177A
9.00-16	TR 15
400/60-15.5	TR 218A
12.5/80-15.3	TR 218A
11.5/75-15.3	TR 218A
10.0/75-15.3	TR 218A
10.00-15	TR 218A

TUBE SIZE	VALVE
9.00-15	TR 75
9.00-15	TR 15
8.15-15 (28.9-15)	TR 75A
8.25-15	TR 75A
2.50/3.00-15	TR 75A
23x10-12	TR 218A
10.0/80-12	TR 13
7.00-12	JS 2
7.00-12	TR 75A
7.00-12	TR 15
6.00-12	JS 2
6.00-12	TR 13
5.00-12	TR 13
6.50-10	JS 2
6.00-10	TR 13
23x9-10	JS 87
6.00-9	JS 2
18x7-8 / 4.00-8 / 5.00-8	JS 2
4.00-4	JS 87

HEAVY TRUCK & OTR

TUBE SIZE	VALVE
29.5-25	TRJ 1175C
26.5-25	TRJ 1175C
23.5-25 HD	TRJ 1175C
23.5-25	TRJ 1175C
20.5-25	TRJ 1175C
23.1-26	TRJ 1175C
18.00-24	TRJ 1175C
18.00-25	TRJ 1175C
17.5-25	TRJ 1175C
16.00-24/25	TRJ 1175C
15.5-25	TRJ 1175C
14.00-25 HD	TRJ 1175C
13.00/14.00-24	TR 179A
13.00/14.00-24	TRJ 1175C
12.00-24 HD	V3-06-5
12.00-24 HD	TR 78A
16.00-20 / 16.00 R 20	TRJ 1175C

TRUCK & LIGHT COMMERCIAL VEHICLE

TUBE SIZE	VALVE	TUBE SIZE	VALVE
9.00 R 20	TR 175A	7.00-20	TR 75A
10.00 R 20	TR 78A	6.50-20	TR 15
12.00-22	TR 78A	8.25-16 HD	TR 75
11.00-22.5	TR 78A	8.25-16 HD	TR 75A
11.00-22	TR 78A	8.25-16 HD	TR 77
14.00-20 HD	TR 179A	8.25-16 HD	TR 77A
13.00-20	TR 179A	8.25-16 HD	TR 177A
12.00-20	V3-06-5	7.00/7.50-16	TR 75A
12.00-20	TR 78A	7.00/7.50-16 (S.V)	TR 15
11.00-20	V3-06-5	7.00/7.50-16 (L.V)	TR 177A
11.00-20 HD	TR 78A	6.50/6.00-16	V3-06-5
10.00-20 HD	TR 78A	6.50/6.00-16	TR 75A
10.00-20	V3-06-5	6.00-16	TR 15
10.00-20	TR 78A	6.00-16	TR 177A
9.00-20 LV HD	TR 175A	7.00/7.50-15 (L.V) HD	TR 75A
9.00-20	V3-06-5	7.00/7.50-15 (L.V)	TR 75A
9.00-20 LV	TR 175A	7.00/7.50-15 (S.V) HD	TR 15
8.25-20 HD	TR 175A	7.00/7.50-15 (S.V)	TR 15
8.25-20 HD	TR 15	7.00/7.50-15 (S.V)	TR 13
7.50-20	V3-06-5	7.50 R 16	TR 177A
7.50-20 HD	TR 175A	7.00 R 15	TR 15

PASSENGER RADIAL

TUBE SIZE	VALVE
235/265R17	TR 75A
235R16	TR 75A
205R16	TR 75A
205R16	TR 13
185/85R-16	TR-13E(B57357)
215/235/75R15	TR 13
205/70R15	TR 13
195R15 HD	TR 13
195R15	TR 13
175/185/80R15	TR 13
185/195-15	TR 13
165/80 R 15	TR 13
5.90-15	TR 13
H78-15	TR 13
F78-15	TR 13
6.00/6.50-15	TR 15
215R14	TR 13
185/195/80R14	TR 13
175/70R-14	TR-13E(B57357)
165/80R-14	TR-13E(B57357)
165/175 65R14	TR 13

TUBE SIZE	VALVE
145/155/165 80R14	TR 13
185/6.00-14	TR 13
6.50-14	TR 13
165D-14	TR 13
5.20-14	TR 13
175/185R-13(SV)	TR 13
175/185R-13(LV)	TR-13E(B57357)
155/65R-13	TR-13E(B57357)
155/70R-13	TR-13E(B57357)
155/80R-13	TR-13E(B57357)
165/65R-13	TR-13E(B57357)
165D-13 HD	TR 13
155/165-13	TR 13
5.60-13	TR 13
5.50-13	TR 13
145/70/80R-13(SV)	TR 13
145/70/80R-13(LV)	TR-13E(B57357)
155/70/80D-12	TR 13
145/70/80R-12	TR 13
165D-12	TR 13
4.50-12	TR 13
5.65-12	TR 13

TWO/THREE WHEELER

TUBE SIZE	VALVE
3.50-7	TR 13
3.50-8	V1.08-3
4.00-8	V1.08-3
2.75/3.00-10	V1.08-1
3.50/4.00-10	V1.08-1
90/100-10	V1.08-1
4.50/5.00-10	TR 13
90/90-12	V1.08-1
3.75-12	TR 29/TR 4
2.75/3.00-14	TR 29/TR 4
130/90-15	TR 29/TR 4
2.25/2.50-16	TR 29/TR 4
3.25/3.50-16	TR 29/TR 4
110/90-16	TR 29/TR 4
120/80-16	TR 29/TR 4
2.75/3.00-17	TR 29/TR 4

TUBE SIZE	VALVE
2.75/3.00-17 HD	TR 29/TR 4
2.25/2.50-17	TR 29/TR 4
460-17	TR 29/TR 4
100/90-17	TR 29/TR 4
120/80-17	TR 29/TR 4
140/60-17	TR 29/TR 4
2.25/2.50-18	TR 29/TR 4
2.75/3.00-18	TR 29/TR 4
3.50-18	TR 29/TR 4
4.10-18	TR 29/TR 4
100/90-18	TR 29/TR 4
120/80-18 & 150/80/18	TR 29/TR 4
2.00/2.25-19	TR 29/TR 4
3.00/3.25/3.50-19	TR 29/TR 4
90/90-18	TR 29/TR 4
3.00-21	TR 29/TR 4

FLAPS

FLAP SIZES

4.00- 8 FLAP
18x7-8/5.00/5.70-8
6.00/6.90 - 9 FLAP
6.50/7.50 - 10 FLAP
7.00/8.25 - 12 FLAP
6.50/7.00/7.50/8.25-15/28x9-15 FLAP
7.00/7.50/8.25/9.00-16 FLAP
21X800 - 9 FLAP
9.00/11.00-15
2.50/3.00 - 15
6.50/8.25 - 20
9.00/10.00-20 (No Protector)
20N FLAP (PLASTIC PROTECTOR)
20N RR - 9.00/10.00R20 with Metal Protector
11.00/12.00-20 with Nylon Protector
14.00 - 20
10.0/11.00 R 22.5
11.00/12.00 R 24 with Nylon Protector
13.00/14.00 R 24/25
16.00R24/25
56X16 - 28
17.5-25 / 20.5-25 / 18.00-25
23.5-25 FLAP





Your Global Partner with World Class Capabilities
Sales Network across 6 continents & Brand Presence in 125 countries

MRL TYRES LTD.

Corporate Office: 207, Udyog Vihar Phase-1, Sector 20, Gurugram, Haryana-122022 INDIA
Phone : +91-124-409 4999

Regd. Office: 50A First Floor, Road No. 70, Rama Road Industrial Area, Moti Nagar, New Delhi -110015, INDIA
Phone: +91-11-4999 4999

Email: info@mrltires.com, **Web Site:** www.mrltires.com

MRL TYRES USA
Email: usa@mrltires.com